

Raychem

Repair kit T2Green, T2Blue,
T2Blue+, T2Blue-Mat,
T2Black & QuickNet
U-ACC-FH-CW-SP

Reparatur-Set

Kit de réparation

Reparatiekit

Reparasjonssett

Reparations-kit

Reparationssæt

Korjaussarja

Kit di riparazione

Zestaw naprawczy

Ремонтный комплект


Opravná souprava

Javítókészlet


T2Green
T2Blue
T2Blue+
T2Black
QuickNet

T2Green
T2Blue
T2Blue+
T2Black
QuickNet

A



B



ENGLISH

- A Yellow/green wire
- B Connection wires
- C, D Crimps
- E Heat-shrinkable sleeves

DEUTSCH

- A Gelber/grüner isolierter Draht
- B Isolierte Verbindungsdrahten
- C, D Crimp-Verbinder
- E Schrumpfschläuche

FRANÇAIS

- A. File jaune/vert
- B. Fils connecteurs
- C, D Fûts à sertir
- E Manchons thermorétractables

NEDERLANDS

- A Gele/groene draad
- B Draden voor verbindingen
- C, D Krimpverbinding
- E Krimpkousen

NORSK

- A Gul/grønn ledning
- B Ledninger for link
- C, D Klemforbindelser
- E Fôringer som krymper under varme

SVENSKA

- A Gul/grön tråd
- B Trådar för anslutning
- C, D Klämhylsor
- E Krymphylsor

DANSK

- A Gul/grøn wire
- B Tilslutning wirer
- C, D Klemmer
- E Krympbare slanger

SUOMI

- A Keltavihreä johdin
- B Johdot yhteyden muodostamiseksi
- C, D Puristushylsy
- E Kutistuletkut

ITALIANO

- A Filo giallo/verde
- B Fili per la connessione
- C, D Connettori
- E Manicotti termorestringenti

POLSKI

- A Drut w kolorze żółto-zielonym
- B Przewody do połączenia
- C, D Zaciski zagniatane
- E Koszulki termokurczliwe

РУССКИЙ


- A Жёлтая/зелёная проволока
- B провода для подключения
- C, D Гофры
- E Термоусадочные трубки

ČESKY



- A Žlutozelený vodič
- B Vodiče pro připojení
- C, D Obruby
- E Teplem smršťované trubice

MAGYAR


- A Žuta/zelena huzal
- B vezetékek a csatlakozáshoz
- C, D Cjevčice za zaštitu spoja
- E Termoskuplajúce spojnice




QuickNet/T2Blue+ ➡ **2** T2Green/T2Blue ➡ **5** T2Black ➡ **8**




4 QuickNet/T2Blue+






5 T2Green/T2Blue








6 T2Green/T2Blue






10 T2Black








- | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|----|----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
|---|---|---|---|---|---|---|---|---|----|----|




T2Green
T2Blue
T2Blue+
T2Black
QuickNet



A



B



ENGLISH

C, D Crimps
E, F Heat-shrinkable sleeves

DEUTSCH

C, D Crimp-Verbinder
E, F Schrumpfschläuche

FRANÇAIS

C, D Fûts à sertir
E, F Manchons
thermorétractables

NEDERLANDS

C, D Krimpverbinders
E, F Krimpkousen

NORSK

C, D Klemforbindelser
E, F Fôringer som krymper
under varme

SVENSKA

C, D Klämhylsor
E, F Krymphylsor

DANSK

C, D Klemmer
E, F Krympbare slanger

SUOMI

C, D Puristushylsy
E, F Kutistelektut

ITALIANO

C, D Connettori
E, F Manicotti
termorestringenti

POLSKI

C, D Zaciski zagniatane
E, F Koszulki termokurcziwe

РУССКИЙ



C, D Гофры
E, F Термоусадочные
трубки

ČESKY



C, D Obruby
E, F Teplem smršťované
trubice

MAGYAR


C, D Cjevčice za zaštitu spoja
E, F Termoskupljajuće
spojnice




QuickNet/T2Blue+ ➔ **2** T2Green/T2Blue ➔ **5** T2Black ➔ **8**




4 QuickNet/T2Blue+






5 T2Green/T2Blue










6 T2Green/T2Blue




10 T2Black












19



20









T2Green
T2Blue
T2Blue+
T2Black
QuickNet

A



B



ENGLISH

G	Heat-shrinkable sleeves
H, I, K	End sleeves

DEUTSCH

G	Schrumpfschläuche
H, I, K	Endhülsen

FRANÇAIS

G.	Manchons thermorétractables
H, I, K.	Manchons d'extrémité

NEDERLANDS

G	Krimpousen
H, I, K	Krimpverbinders

NORSK

G	Fôringer som krymper under varme
H, I, K	Sluttfôringer

SVENSKA

G	Krymphylsor
H, I, K	Ändhylsor

DANSK

G	Krympbare slanger
H, I, K	Slangeender

SUOMI

G	Kutisteletkut
H, I, K	Loppupäätteet

ITALIANO

G	Manicotti termorestringenti
H, I, K	manicotti terminali

POLSKI

G	Koszulki termokurczliwe
H, I, K	Koszulki końcowe

РУССКИЙ

G	термоусадочные трубки
H, I, K	концевые трубки

ČESKY

G	Teplem smršťované trubice
H, I, K	Koncové trubice


MAGYAR

G	Zsugorfólia csövek
H, I, K	Záróelem



C	Ferrule crimp type	Yarn colours	T2Green (m)	T2Blue-A (m)	T2Blue-C (m)	QuickNet-N (m²)	QuickNet-P (m²)	T2Blue Mat (W - m²)
	H	White - Yellow	15	10		1		130W-1,2m²
	H	White - Orange	20	15	11	1,5	1	
	H	White-White	25	20	14	2		265W-2,4m²
	H	Red-Orange					1,5	
	H	White - Red	35	25	18	2,5		
	H	Grey-Grey	40	30	21	3	2	400W-3,7m²
	H	White - Brown	50	35		3,5		
	H	Red-Brown					2,5	
	H	Violet-Violet		40	28	4		530W-4,9m²
	H	White - Black	60	45		4,5	3	
	H	Blue-Blue		50	35	5		
	H	Red-Violet	70				3,5	
	H	Red-Black		55				
	H	Green-Green	85	60	43	6	4	800W-7,4m²
	H	Yellow-Green		65			4,5	
	H	Yellow-Yellow	100	70	50	7		925W-8,5m²
	H	White-Green		75			5	
	H	Orange-Orange	115	80	57	8		
	H	Red-Red		90	63	9	6	1185W-10,9m²
	H	Brown-Brown		101	71	10		1335W-12,3m²
	H	Red-Green					7	
	H	Black-Black		121	86	12	8	1605W-14,8m²
	I	Violet-White		40	28			530W-4,9m²
	I	Red-Blue		55				
	I	Blue-Yellow	85	60	43			800W-7,4m²
	I	Black-Orange		150			9	
	I	Black-Yellow		142	101			1885W-17,4m²
	I	Black-Green					10	
	I	Black-Violet		160	115			2150W-19,9m²
	K	Black-Grey		180				2375W-22,2m²
	K	Green-Brown		200				

D	T2Black DESCRIPTION	Ferrule crimp type
	R-BK-B-14.5M-180W/**	H
	R-BK-B-20.0M-250W/**	H
	R-BK-B-26.5M-325W/**	H
	R-BK-B-35.5M-435W/**	H
	R-BK-B-46.0M-565W/**	H
	R-BK-B-55.0M-665W/**	H
	R-BK-B-73.0M-895W/**	I
	R-BK-B-98.0M-1210W/**	K
	R-BK-C-12.0M-215W/**	H
	R-BK-C-16.0M-310W/**	H
	R-BK-C-21.0M-410W/**	H
	R-BK-C-28.0M-550W/**	H
	R-BK-C-43.0M-850W/**	H
	R-BK-C-57.0M-1150W/**	I
	R-BK-C-74.0M-1490W/**	K
	R-BK-C-82.0M-1625W/**	H
	R-BK-C-109.0M-2200W/**	I


E	Model	Reference		Length	Total power	Yarn color	Ferrule crimp type
	R-BL7P-15M-105W	2000005312	2000005693	15	105	Grey-White	H
	R-BL7P-20M-140W	2000005313	2000005694	20	140	Grey-Orange	H
	R-BL7P-25M-175W	2000005314	2000005695	25	175	Grey-Yellow	H
	R-BL7P-30M-210W	2000005315	2000005696	30	210	Grey-Red	H
	R-BL7P-40M-280W	2000005316	2000005697	40	280	Brown-Orange	H
	R-BL7P-50M-350W	2000005317	2000005698	50	350	Brown-Yellow	H
	R-BL7P-60M-420W	2000005318	2000005699	60	420	Brown-Grey	H
	R-BL7P-80M-560W	2000005319	2000005700	80	560	Violet-Orange	H
	R-BL7P-100M-700W	2000005320	2000005701	100	700	Violet-Yellow	H
	R-BL7P-120M-840W	2000005321	2000005702	120	840	Violet-Grey	I
	R-BL7P-140M-980W	2000005322	2000005703	140	980	Violet-Brown	I
	R-BL7P-160M-1120W	2000005323	2000005704	160	1120	Blue-White	K
	R-BL7P-180M-1260W	2000005324	2000005705	180	1260	Blue-Orange	K
	R-BL12P-10M-120W	2000005325	2000005706	10	120	Blue-Grey	H
	R-BL12P-15M-180W	2000005326	2000005707	15	180	Grey-Orange	H
	R-BL12P-20M-240W	2000005327	2000005708	20	240	Grey-Yellow	H
	R-BL12P-25M-300W	2000005328	2000005709	25	300	Blue-Brown	H
	R-BL12P-30M-360W	2000005329	2000005710	30	360	Brown-Orange	H
	R-BL12P-40M-480W	2000005330	2000005711	40	480	Brown-Yellow	H
	R-BL12P-50M-600W	2000005331	2000005712	50	600	Blue-Violet	I
	R-BL12P-60M-720W	2000005332	2000005713	60	720	Violet-Orange	H
	R-BL12P-80M-960W	2000005333	2000005714	80	960	Violet-Yellow	H
	R-BL12P-100M-1200W	2000005334	2000005715	100	1200	Green-Orange	I
	R-BL12P-120M-1440W	2000005335	2000005716	120	1440	Blue-White	K
	R-BL12P-140M-1680W	2000005336	2000005717	140	1680	Blue-Orange	K
	R-BL12P-160M-1920W	2000005337	2000005718	160	1920	Green-Grey	K
	R-BL12P-180M-2160W	2000005338	2000005719	180	2160	Yellow-Orange	K



QuickNet/T2Blue+ ➡ **2** T2Green/T2Blue ➡ **6** T2Black ➡ **10**




4 QuickNet/T2Blue+




5 QuickNet/T2Blue+

QuickNet read **C** pg. 25


T2Blue+ read **E** pg. 26




6 T2Green/T2Blue



7 T2Green/T2Blue




8 T2Green/T2Blue




9 T2Green/T2Blue

read **c** pg. 25




➔ **14**


10 T2Black



11 T2Black




12 T2Black




13 T2Black

read **D** pg. 26





➔ **14**


14



15







België / Belgique

Tel +32 16 21 35 02
Fax +32 16 21 36 04
SalesBELUX@chemelex.com

Bulgaria

Tel +359 2 973 33 73
SalesEE@chemelex.com

Česká Republika

Tel +420 606 069 618 (Comm)
+420 602 232 969 (Ind)
infoCZ@chemelex.com

Danmark

Tel +45 70 11 04 00
SalesDK@chemelex.com

Deutschland

Tel 0800 181 82 05
SalesDE@chemelex.com

España

Tel +34 911 59 30 60
Fax +34 900 98 32 64
SalesES@chemelex.com

France

Tél 0800 90 60 45
SalesFR@chemelex.com

Hrvatska

Tel +385 51 225 073 (Comm)
+385 1 605 01 88 (Ind)
SalesEE@chemelex.com

Italia

Tel +39 02 577 61 51
Fax +39 02 577 61 55/28
SalesIT@chemelex.com

Lietuva/Latvija/Eesti

Tel +370 698 411 56
SalesEE@chemelex.com

Magyarország

Tel +36 1 253 76 17
SalesHU@chemelex.com

Nederland

Tel 0800 022 49 78
SalesNL@chemelex.com

Norge

Tel +47 66 81 79 90
SalesNO@chemelex.com

Österreich

Tel 0800 29 74 10
SalesAT@chemelex.com

Polska

Tel +48 22 331 29 50
Fax +48 22 331 29 51
SalesPL@chemelex.com

Казахстан

Tel +7 7112 31 67 03170
SalesKZ@chemelex.com

Romania

Tel +40 344 801 140
SalesEE@chemelex.com

Serbia and Montenegro

Tel +386 41 665 634 (Comm)
+381 230 439 519 (Ind)
SalesEE@chemelex.com

Schweiz / Suisse

Tel +41 (41) 766 30 80
infoCH@chemelex.com

Slovensko

Tel +420 606 069 618 (Comm)
+420 602 232 969 (Ind)
SalesEE@chemelex.com

Slovenija

Tel +386 41 665 634
SalesEE@chemelex.com

Suomi

Puh 0800 11 67 99
SalesFI@chemelex.com

Sverige

Tel +46 31 335 58 00
SalesSE@chemelex.com

Türkiye

Tel +90 545 284 09 05
SalesEE@chemelex.com

UK/Ireland

Tel 0800 969 013
SalesUK@chemelex.com

chemelex
excellence is everything

chemelex.com

Raychem Tracer Pyrotenax Nuheat

©2025 Chemelex. All Chemelex marks and logos are owned or licensed by Chemelex Europe GmbH or its affiliates. All other trademarks are the property of their respective owners. Chemelex reserves the right to change specifications without notice.

RAYCHEM-IM-INST306-UACCFHCWSPCOM-ML-2510

PCN 1244-008859